


(1) XG-751

Packing Details 1




- Notes)** 1. When a pallet is used, it shall be absolutely free from bark and vermin.
 2. Unit should be placed in a carton with its front orientated as shown above.
 * The tape used shall be "Masking Tape 30MM * 18M (92203110) or equivalent.

PACKING

Packing Details 2

The bar-code serial label (16761791) , with necessary information printed, shall be abhered to the right side of the cardboard box. (Contents of information printed shall conform to instructions by production Engineering Div.)




- Stick the carton label to each marking part on the front, rear, right, and left sides. (Each label shall be abhered to cover the area of XXXXXXXXXX .)
- Give a marking to the model column on the right and left sides.

<input type="checkbox"/> XG-1350	<input type="checkbox"/> XG-1350G	<input type="checkbox"/> XG1350J
<input type="checkbox"/> XG-1100	<input type="checkbox"/> XG-1100G	<input type="checkbox"/> XG-1100J
<input type="checkbox"/> XG-750	<input type="checkbox"/> XG-750G	<input type="checkbox"/> XG-750J
<input checked="" type="checkbox"/> XG-751	<input type="checkbox"/> XG-751G	<input type="checkbox"/> XG-751J

(2) XG-1101

Packing Details 1




- Notes)** 1. When a pallet is used, it shall be absolutely free from bark and vermin.
2. Unit should be placed in a carton with its front orientated as shown above.
* The tape used shall be "Masking Tape 30MM * 18M (92203110) or equivalent.

PACKING

Packing Details 2

The bar-code serial label (16761791) , with necessary information printed, shall be abhered to the right side of the cardboard box. (Contents of information printed shall conform to instructions by production Engineering Div.)




- Stick the carton label to each marking part on the front, rear, right, and left sides. (Each label shall be abhered to cover the area of XXXXXXXXXX.)
- Give a marking to the model column on the right and left sides.

<input type="checkbox"/> XG-1351	<input type="checkbox"/> XG-1351G	<input type="checkbox"/> XG1351J
<input checked="" type="checkbox"/> XG-1101	<input type="checkbox"/> XG-1101G	<input type="checkbox"/> XG-1101J

(3) XG-1351

Packing Details 1




- Notes)** 1. When a pallet is used, it shall be absolutely free from bark and vermin.
 2. Unit should be placed in a carton with its front orientated as shown above.
 * The tape used shall be "Masking Tape 30MM * 18M (92203110) or equivalent.

PACKING

Packing Details 2

The bar-code serial label (16761791) , with necessary information printed, shall be abhered to the right side of the cardboard box. (Contents of information printed shall conform to instructions by production Engineering Div.)




- Stick the carton label to each marking part on the front, rear, right, and left sides. (Each label shall be abhered to cover the area of XXXXXX.)
- Give a marking to the model column on the right and left sides.

<input checked="" type="checkbox"/> XG-1351	<input type="checkbox"/> XG-1351G	<input type="checkbox"/> XG1351J
<input type="checkbox"/> XG-1101	<input type="checkbox"/> XG-1101G	<input type="checkbox"/> XG-1101J

(4) XG-751G

Packing Details 1




- Notes)** 1. When a pallet is used, it shall be absolutely free from bark and vermin.
 2. Unit should be placed in a carton with its front orientated as shown above.
 * The tape used shall be "Masking Tape 30MM * 18M (92203110) or equivalent.

PACKING

Packing Details 2

The bar-code serial label (16761791) , with necessary information printed, shall be abhered to the right side of the cardboard box. (Contents of information printed shall conform to instructions by production Engineering Div.)




* The lens side of the set shall be regarded as FRONT, and the "FRAGILE....." indication shall be regarded as the right side.

- Stick the carton label to each marking part on the front, rear, right, and left sides. (Each label shall be abhered to cover the area of XXXXXX.)
- Stick the DSD label (D40) to the right side.
- Stick the FAN label to the right side.
- Give a marking to the model column on the right and left sides.

<input type="checkbox"/> XG-1350	<input type="checkbox"/> XG-1350G	<input type="checkbox"/> XG1350J
<input type="checkbox"/> XG-1100	<input type="checkbox"/> XG-1100G	<input type="checkbox"/> XG-1100J
<input type="checkbox"/> XG-750	<input type="checkbox"/> XG-750G	<input type="checkbox"/> XG-750J
<input type="checkbox"/> XG-751	<input checked="" type="checkbox"/> XG-751G	<input type="checkbox"/> XG-751J

(5) XG-1101G

Packing Details 1




- Notes)** 1. When a pallet is used, it shall be absolutely free from bark and vermin.
2. Unit should be placed in a carton with its front orientated as shown above.
* The tape used shall be "Masking Tape 30MM * 18M (92203110) or equivalent.

PACKING

Packing Details 2

The bar-code serial label (16761791) , with necessary information printed, shall be abhered to the right side of the cardboard box. (Contents of information printed shall conform to instructions by production Engineering Div.)




* The lens side of the set shall be regarded as FRONT, and the "FRAGILE....." indication shall be regarded as the right side.

- Stick the carton label to each marking part on the front, rear, right, and left sides. (Each label shall be abhered to cover the area of XXXXXXXXXX.)
- Stick the DSD label (D40) to the right side.
- Stick the FAN label to the right side.
- Give a marking to the model column on the right and left sides.

<input type="checkbox"/> XG-1351	<input type="checkbox"/> XG-1351G	<input type="checkbox"/> XG1351J
<input type="checkbox"/> XG-1101	<input checked="" type="checkbox"/> XG-1101G	<input type="checkbox"/> XG-1101J

(6) XG-1351G

Packing Details 1




- Notes)** 1. When a pallet is used, it shall be absolutely free from bark and vermin.
2. Unit should be placed in a carton with its front orientated as shown above.
* The tape used shall be "Masking Tape 30MM * 18M (92203110) or equivalent.


PACKING

Packing Details 2

The bar-code serial label (16761791) , with necessary information printed, shall be abhered to the right side of the cardboard box. (Contents of information printed shall conform to instructions by production Engineering Div.)



* The lens side of the set shall be regarded as FRONT, and the "FRAGILE....." indication shall be regarded as the right side.

- Stick the carton label to each marking part on the front, rear, right, and left sides. (Each label shall be abhered to cover the area of  .)
- Stick the DSD label (D40) to the right side.
- Stick the FAN label to the right side.
- Give a marking to the model column on the right and left sides.

<input type="checkbox"/> XG-1351	<input checked="" type="checkbox"/> XG-1351G	<input type="checkbox"/> XG1351J
<input type="checkbox"/> XG-1101	<input type="checkbox"/> XG-1101G	<input type="checkbox"/> XG-1101J