



PROJECT: 00-260354-01P FCM PCB: 50-000354-01P

REVISION HISTORY					
ISS	RFC No	DESCRIPTION	DRWN BY	DATE	APP
01	---	ORIGINAL	TP	13NDV96	MP
02	70063	R79 RE-VALUED	TP	11FE807	MP
03	70178	C1000 C1001, R67 R67	MP	03APR07	MP
04	70529	MANY CHANGES PGS 5 & 6	MP	23SEP07	
05					
06					
07					
08					
09					
10					

**NOTES:**

- UNLESS OTHERWISE SPECIFIED:  
1.8W 5% FOR SURFACE RESISTORS  
1.0W 5% FOR THROUGH RESISTORS  
50V 5% FOR ALL CAPACITORS
- THE FOLLOWING DENOTE CONNECTOR IDENTITIES:  



- "H" AT COMPONENT DENOTES A HEATSINK.
- "SKT" DENOTES SOCKETED INTEGRATED CIRCUIT.
- "SM" IDENTIFIES SURFACE MOUNT PARTS.
- PCB SENSITIVE TO ELECTROSTATIC DISCHARGE.
- ARROWS ON SIGNAL LINES INDICATE THE DIRECTION OF FLOW.  
 SHIELDED AREAS AS SHOWN.
- THE FOLLOWING DENOTE GROUND IDENTITIES:  
 DIGITAL  
 ANALOGUE  
 CHASSIS
- "DNP" IDENTIFIES THE FOLLOWING PARTS THAT ARE NOT TO BE POPULATED.

HIGHEST	REFERENCE DESIGNATORS	NOT USED

**CAUTION**

FOR CONTINUED SAFETY, REPLACE ALL COMPONENTS NOTED BY  WITH EXACT REPLACEMENT PARTS ONLY!  
CONSULT SERVICE MANUAL FOR REPLACEMENT TYPE!

RED DYNAMIC FOCUS COIL

RED STATIC FOCUS COIL









